



Chicago Pneumatic



**People.
Passion.
Performance.**

CPG 25 / CPG 45
It's more than a generator. It's Predictable Power.

CPG 25 & CPG 45 COMPACT & POWERFUL

Reliable Performance
Service Efficiency
High Resale Value
Safety
Ease of use

Need Power? The Chicago Pneumatic CPG 25 and CPG 45 packs an impressive amount of power into a heavy duty, weather proof, sound attenuated and compact enclosure. Available in either a skid mount or trailer mounted configuration, it is adaptable to whatever your job site demands. It combines the robustness and reliability you need with innovative features for additional safety and ease of use.

EASY TO USE AND MAINTAIN

SIMPLIFIED MAINTENANCE

Single Side servicing through large service doors providing quick access to components, including the alternator, engine and electrical systems.

Drains for water and oil are easy to reach and can be directed outside of the containment basin for draining. Coupled with extended life filters for 500 hour service intervals, make this generator the workhorse of your fleet.

EASY TO MOVE

Integrated single point lifting and different undercarriage types including; heavy duty skid with forklift pockets or a single axle trailer are available to fit a wide range of applications.

RELIABILITY COMES STANDARD

RELIABLE PROVEN ENGINE

The Isuzu 4LE platform is based on the tested iT4 version with the addition of a DOC. A DOC only solution simplifies operation and maintenance with no DEF (Diesel Exhaust Fluid) or DPF (Diesel Particulate Filter) to contend with. The CPG 25 and CPG 45 also come with a standard 5 year limited engine warranty through Isuzu.

LEROY SOMER - AREP ALTERNATOR

Heavy duty marine impregnated alternator with multi-voltage capabilities. The AREP excitation system offers superior motor starting capabilities, with 300% over current capacity for demanding applications.

EASY OPERATION

ALWAYS RELIABLE

A large integrated fuel cell is standard equipment, allowing the longest run time in its class. The CPG 25 boasts up to 45 hours of run time per tank @ 75% load, while the CPG 45 will run for 30 hours respectively on a single tank of diesel.

Fewer diesel fills creates a higher up-time and ultimately lowers your cost of ownership with less fuel fills per shift. All fluids are 110% contained inside the heavy duty base frame.

External fuel connections are available as an option should you want to extend the running time further.

USER FRIENDLY CONTROLS

The CPG 25 & CPG 45 Tier 4 range comes standard with a Deep Sea 4510 controller. The controller is user friendly with a back lit display showing all critical machine information, which can be viewed through a rugged Plexiglas panel in the door.

Key features of the controller include; Remote Start/Stop, Generator Voltages (ph-N, ph-ph), Frequency, Current (A), Total Load (kW, kVA), Power Factor, Engine Speed, Oil Pressure, Coolant Temp, Battery Voltage, Run Time, Engine Maintenance Schedule, Fuel Level, and many more. All functions are set with warning and shutdown safety limits, that can easily be customized by the user.

SUPERIOR PERFORMANCE


COMMON PLATFORMS

Both models are the same platform with a common engine, cubicle and enclosure. This keeps most parts and service packs the same between both models.

HEAVY-DUTY ENCLOSURE

All CPG model generators are built tough with heavy gauge, powder coated galvanized steel. The base frame is built with a rigid construction and incorporates 110% fluid containment as standard on all machines. The superior fit and finish on the enclosure provides a sound attenuation, as well as weather-proofing and protection from the elements.





Over 100 Years of Experience

Since 1901 the Chicago Pneumatic name has represented high-performance tools and equipment designed for an extensive range of applications. Today, Chicago Pneumatic has a global reach, with local customer centers around the world. Chicago Pneumatic tools and air compressors are tailored to the needs of the industrial, vehicle service, and construction markets. Every day we develop and manufacture new products that are meant to meet your demands not only today, but tomorrow as well.

TECHNICAL DATA

MODEL		CPG 25 ID	CPG 45 ID
Rated Prime Power 3Ø	kW / kVA	20/25	36/45
Rated Stand-by Power 3Ø	kW / kVA	22/28	40/50
Voltage Selection 3Ø	V	208 / 240 / 480	
Amp @ 480 volts	A	30	54
Amp @ 240 volts	A	60	108
Amp @ 208 volts	A	63	125
Rated Prime Power 1Ø	kVA	13	22
Voltage Selection 1Ø	V	120 / 240	
Amp @ 240 volts	A	67	108
Amp @ 120 volts	A	67 x 2	108 x 2
Frequency	Hz	60	60
Sound Pressure @ 23 ft. (7m) @ 75% load	dBA	67	67

Convenience Receptacles 2 x NEMA 5-20R & 2 x 125/250V 50A CS6369

ALTERNATOR - Leroy Somer

Model	LSA 40 M5	LSA 42.3 S5
Degree of Protection / Insulation Glass	H	
Excitation	AREP	

ENGINE - Isuzu

Model	4LE2T	4LE2X
Displacement	L	2.18
Cylinders	#	4
Tier	US EPA	Tier 4 Final
Engine Exhaust After Treatment	DOC	
Prime Horsepower	HP	31.5 59
Rated Speed	RPM	1800
Engine Control	ECU	
Fuel Tank Capacity	Gal (L)	75 (284)
Fuel Consumption @ 75% load	Gal/hr (L/Hr)	1.4 (5.3) 2.15 (8.1)
Fuel Autonomy @ 75% load	Hr	48.2 31.4

DIMENSIONS (LxWxH) & Weight

Trailer	Inches	129x54x66	
Weight (w/ Trailer wet)	lbs (kg)	2,565 (1,163)	2,785 (1,263)
Skid (w/ Forklift pockets)	Inches	75x34x55	
Weight (skid wet)	lbs (kg)	2,280 (1,034)	2,500 (1,134)

STANDARD FEATURES

Compact, sound attenuated, corrosion resistant enclosure with single point lifting and 110% fluid containment

all new integrated single axle trailer to reduce weight and size to aid and improve transferability

"Deep Sea" controller

Single side servicing with long run filters and 500 hour service intervals

Extremely reliable and durable Isuzu engine.

Extremely reliable and durable Isuzu 4LE engine with DOC only after treatment and 5 year limited warranty

Identical enclosures and maintenance points between models

BENEFITS

Extremely durable and environmentally sensitive, designed to be used for everything from oil patch application to special event power

Versatility giving you the flexibility to match your machine to the correct application

Startup power for the most demanding sites with 300% over load starting capabilities

Reliable and intuitive controls for ease of use and diagnostic capabilities

Reduces maintenance costs with long intervals easy access for mechanics

Proven engine platform with high reliability and no DPF or DEF

Reduces stock of service kits and inventory of parts with rental ROI kept in mind



FEATURES AND OPTIONS INCLUDED

Multi-Voltage Selector switch	●
Remote Start / Stop	●
Digital Control Systems	●
110% Fluid Containment	●
ECU Controlled	●
Single Side Service (500 Hour Interval)	●
Single Breaker Design	●
Single Axle Trailer	●
Skid Mounted (W/ Forklift Pockets)	○
Battery Charger	○
Coolant Heater	○
Ball Coupling	○
External Fuel Connections	○

Standard ● Option ○

PREDICTABLE POWER

Chicago Pneumatic Predictable Power brings customers in the on-site generator and power generations business peace of mind. Utilizing solutions that combine low cost of ownership, reliable performance and risk-free operation. Predictable Power is our core value and the guiding principle for how we design, test, build, commission and service our generators.